

Certificate of Compliance

Certificate Number:

UL-US-L479339-51-
92015102-3

Report Reference:

E479339-20151029

Issue Date:

2024-01-11

Issued to:

SIRS ELECTRONICS INC
3307 West St Rosenberg, TX 77471
United States

This certificate confirms that representative samples of:

IFDR - Low-voltage Lighting Systems, Power Units, Luminaires and Fittings

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 2108, Edition 2, Issue Date 2015-12-07, Revision Date 2023-04-18

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Picuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L479339-51-92015102-3
Report reference E479339-20151029
Date 2024-01-11

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
5050-24V-4RGBXX, where XX is A, WH or WW, 5050-24V- WH, -WW, -CW, may be followed additional alphanumeric characters, 5050-24RGB, 5050-24RGBXX where XX is A, WN or WW, 5050-24WX where X is N, W or C, may be followed additional alphanumeric characters	Low Voltage Luminaire Control
5050-24V-RGB, where XX is A, WH or WW, 5050-24V-WH, -WW, -CW, may be followed additional alphanumeric characters, 5050-24RGB, 5050-24RGBXX where XX is A, WN or WW, 5050-24WX where X is N, W or C, may be followed additional alphanumeric characters	Low Voltage Luminaire Control
5050-LED-4RGBXX-72, where XX is A, WH or WW, 5050-LED-WH, -WW, -CW, may be followed additional alphanumeric characters, 5050-12RGB, 5050-12RGBXX where XX is A, WN or WW, 5050-12WX where X is N, W or C, may be followed additional alphanumeric characters	Low-Voltage strip Luminaire
5050-LED-RGB, where XX is A, WH or WW, 5050-LED-WH, -WW, -CW, may be followed additional alphanumeric characters, 5050-12RGB, 5050-12RGBXX where XX is A, WN or WW, 5050-12WX where X is N, W or C, may be followed additional alphanumeric characters	Low-Voltage strip Luminaire
ACUFIT	Low Voltage Lighting Systems
ACUHUE	Low-Voltage strip Luminaire
ACUVIBRANT	Low-Voltage strip Luminaire
ACUVIVID	Low-Voltage strip Luminaire
ACUVIVID2	Low Voltage Lighting Systems
DMX5RGB	Low Voltage Lighting Systems
DMX5RGBWN	Low Voltage Lighting Systems
StripFlexLED	Low Voltage Lighting Systems



David Picuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-L479339-71-
92015102-3

Report Reference:

E479339-20151029

Issue Date:

2024-01-11

Issued to:

SIRS ELECTRONICS INC
3307 West St Rosenberg, TX 77471
United States

This certificate confirms that representative samples of:

IFDR7 - Low-voltage Lighting Systems, Power Units, Luminaires and Fittings Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 NO. 250.2, 1st Ed., Issue Date: 2020-01-01

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L479339-71-92015102-3
Report reference E479339-20151029
Date 2024-01-11

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
5050-24V-4RGBXX, where XX is A, WH or WW, 5050-24V- WH, -WW, -CW, may be followed additional alphanumeric characters, 5050-24RGB, 5050-24RGBXX where XX is A, WN or WW, 5050-24WX where X is N, W or C, may be followed additional alphanumeric characters	Low Voltage Luminaire Control
5050-24V-RGB, where XX is A, WH or WW, 5050-24V-WH, -WW, -CW, may be followed additional alphanumeric characters, 5050-24RGB, 5050-24RGBXX where XX is A, WN or WW, 5050-24WX where X is N, W or C, may be followed additional alphanumeric characters	Low Voltage Luminaire Control
5050-LED-4RGBXX-72, where XX is A, WH or WW, 5050-LED-WH, -WW, -CW, may be followed additional alphanumeric characters, 5050-12RGB, 5050-12RGBXX where XX is A, WN or WW, 5050-12WX where X is N, W or C, may be followed additional alphanumeric characters	Low-Voltage strip Luminaire
5050-LED-RGB, where XX is A, WH or WW, 5050-LED-WH, -WW, -CW, may be followed additional alphanumeric characters, 5050-12RGB, 5050-12RGBXX where XX is A, WN or WW, 5050-12WX where X is N, W or C, may be followed additional alphanumeric characters	Low-Voltage strip Luminaire
ACUFIT	Low Voltage Lighting Systems
ACUHUE	Low-Voltage strip Luminaire
ACUVIBRANT	Low-Voltage strip Luminaire
ACUVIVID	Low-Voltage strip Luminaire
ACUVIVID2	Low Voltage Lighting Systems
DMX5RGB	Low Voltage Lighting Systems
DMX5RGBWN	Low Voltage Lighting Systems
StripFlexLED	Low Voltage Lighting Systems



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

