

Accessories Compatible

This list shows our most compatible accessories for this product. For the full selection, please visit our website.



MeanWell LED Power Supply
90 Watts 24 Volts 90-264VAC



SCAN OR CLICK QR CODE



Magnitude 24V PSU



SCAN OR CLICK QR CODE



Nicolaudie STICK-DE3 Wall Mount LED Lighting Controller



SCAN OR CLICK QR CODE



RGBW 4 Channel High Power LED DMX Controller



SCAN OR CLICK QR CODE



LTech UB2 Tunable White (CCT) DMX Wall Mount with Bluetooth




SCAN OR CLICK QR CODE

Compatible LED Aluminum Extrusions

SIRS-E® Mount Aluminum Extrusions for smooth, sleek mounting for the AlphaSpec™. Select an Extrusion that fits your LED strip, matches your space requirements and aesthetic preference.




SIRS-E® SF-RS2403
Surface Mount
Aluminum Extrusion



Thickness: Extrusion 1.00mm-Diffuser 2.10mm




SIRS-E® SF-RS2020S
Surface Mount
Aluminum Extrusion



Thickness: Extrusion 1.20mm-Diffuser 1.20mm




SIRS-E® SE-SP5532
Surface Mount
Aluminum Extrusion



Thickness: Extrusion 1.80mm-Diffuser 2.00mm




SIRS-E® CR-3030S
Corner Mount
Aluminum Extrusion



Thickness: Extrusion 1.20mm-Diffuser 1.30mm



SIRS-E® SE-RS2404
Recessed Mount
Aluminum Extrusion



Thickness: Extrusion 1.05mm-Diffuser 1.05mm


For our full selection of aluminum extrusions, please scan or click the QR code.



Compatible LED Aluminum Extrusions




SIRS-E® SE-SP5532
Surface Mount
Aluminum Extrusion



Thickness: Extrusion 1.80mm-Diffuser 2.00mm




SIRS-E® SE-DW5615
Plaster-In Drywall
Mount Aluminum
Extrusion



Thickness: Extrusion 1.50mm-Diffuser 1.50mm




SIRS-E® SE-AB1212
Aluminum Angle Bar



Thickness: Extrusion 1.59mm (1/16 in.)



SIRS-E® SE-FB12
Aluminum Flat Bar



Thickness: Extrusion 1.59mm (1/16 in.)

For our full selection of aluminum extrusions, please scan or click the QR code.

